AD-A181 478   EFFICIENT EVALUATION OF POLYNOMIALS AND EXPONENTIALS OF   1/1
               POLYNOMIALS FOR E.. (U) NAVAL UNDERWATER SYSTEMS CENTER
   NEW LONDON CT NEW LONDON LAB.. A H NUTTALL 01 APR 87
UNCLASSIFIED   NUSC-TR-7995   F/G 12/2   NL

MICROCOPY RESOLUTION TEST CHART

NATIONAL BUREAU OF STANDARDS-1963-A

②

AD-A181 478

Efficient Evaluation of Polynomials And Exponentials of Polynomials For Equi-Spaced Arguments

Albert H. Nuttall
Surface Ship Sonar Department

**DTIC
SELECTED
JUN 1 2 1987
D**

Naval Underwater Systems Center
Newport, Rhode Island / New London, Connecticut

87 6 8 081

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION	1b. RESTRICTIVE MARKINGS
UNCLASSIFIED	

2a. SECURITY CLASSIFICATION AUTHORITY	3. DISTRIBUTION / AVAILABILITY OF REPORT
	Approved for public release;
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE	distribution is unlimited

4. PERFORMING ORGANIZATION REPORT NUMBER(S)	5. MONITORING ORGANIZATION REPORT NUMBER(S)
TR 7995	

6a. NAME OF PERFORMING ORGANIZATION	6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION
Naval Underwater Systems Center		

6c. ADDRESS (City, State, and ZIP Code).	7b. ADDRESS (City, State, and ZIP Code)
New London Laboratory New London, CT 06320	

8a. NAME OF FUNDING / SPONSORING ORGANIZATION	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER

8c. ADDRESS (City, State, and ZIP Code)	10. SOURCE OF FUNDING NUMBERS			
	PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.

11. TITLE (Include Security Classification)

EFFICIENT EVALUATION OF POLYNOMIALS AND EXPONENTIALS OF POLYNOMIALS FOR EQUI-SPACED ARGUMENTS

12. PERSONAL AUTHOR(S)
Albert H. Nuttall

13a. TYPE OF REPORT	13b. TIME COVERED FROM _____ TO _____	14. DATE OF REPORT (Year, Month, Day) 1987 April 1	15. PAGE COUNT

16. SUPPLEMENTARY NOTATION

17 COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)
FIELD	GROUP	SUB-GROUP	Polynomial Efficient Evaluation
			Exponential of Polynomial Recursion
			Equi-Spaced Arguments Linear Frequency Modulation

19 ABSTRACT (Continue on reverse if necessary and identify by block number)

A k-th order polynomial can be evaluated by means of k additions and no multiplications, when done in a recursive fashion at equi-spaced arguments. The evaluation of an exponential of a k-th order polynomial can be accomplished by k multiplications and no additions or exponentiations. Combinations of rational functions and exponentials can therefore be realized very efficiently by combining these properties.

20. DISTRIBUTION / AVAILABILITY OF ABSTRACT	21. ABSTRACT SECURITY CLASSIFICATION
☑ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT. ☐ DTIC USERS	UNCLASSIFIED

22a. NAME OF RESPONSIBLE INDIVIDUAL	22b. TELEPHONE (Include Area Code)	22c. OFFICE SYMBOL
Albert H. Nuttall	(203) 440-4618	Code 3314

DD FORM 1473, 84 MAR
83 APR edition may be used until exhausted.
All other editions are obsolete.

TABLE OF CONTENTS

Accesion For

NTIS CRA&I	☑
DTIC TAB	☐
Unannounced	☐
Justification	

By

Dist.ibution /

Availability Codes

Dist	Avail and / or Special
A-1	

LIST OF SYMBOLS

$P_3(x)$	Third-order polynomial of x, (1)
$\alpha, \beta, \gamma, \mu$	Polynomial coefficients, (1)
x_0	Starting value of x, (2)
Δ	Increment in x, (2)
$Q_3(n)$	Third-order polynomial of n, (3)
a, b, c, d	Polynomial coefficients, (3),(4)
Q_2, Q_1	Difference polynomials, (5),(6)
$P_3(x)$	Exponential of third-order polynomial, (10)
$Q_3(n)$	Exponential of third-order polynomial, (11)

EFFICIENT EVALUATION OF POLYNOMIALS AND EXPONENTIALS
OF POLYNOMIALS FOR EQUI-SPACED ARGUMENTS

INTRODUCTION

The evaluation of polynomials at equi-spaced arguments is a recurring task that arises in many applications. When a k-th order polynomial is written in nested form, its evaluation generally requires k additions and k multiplications at each argument of interest. For a set of equi-spaced arguments, it is demonstrate that the multiplications can be entirely circumvented (except during initialization) and that a recursive procedure employing only k additions per stage will suffice to generate the sequence of polynomial values.

For an exponential of a polynomial, an even greater savings is possible; namely, the exponential can be circumvented (except during initialization), and only k multiplications per stage are required in a recursive procedure. Memory storage is also kept at a minimum.

EVALUATION OF POLYNOMIAL

The procedure is best introduced by way of example. Suppose we want to evaluate third-order polynomial

$$P_3(x) = \alpha + \beta x + \gamma x^2 + \mu x^3 \tag{1}$$

at the set of equi-spaced arguments

$$x_n = x_0 + n\Delta \quad \text{for } n = 0, 1, 2, \ldots . \tag{2}$$

That is, we are interested in the values

$$Q_3(n) \equiv P_3(x_n) = a + bn + cn^2 + dn^3 \quad \text{for } n = 0, 1, 2, \ldots , \tag{3}$$

where

$$a = \alpha + \beta x_0 + \gamma x_0^2 + \mu x_0^3 ,$$

$$b = \Delta(\beta + 2\gamma x_0 + 3\mu x_0^2) ,$$

$$c = \Delta^2(\gamma + 3\mu x_0) ,$$

$$d = \Delta^3 \mu . \tag{4}$$

To this aim, define difference

$$Q_2(n) = Q_3(n) - Q_3(n-1) = b - c + d + (2c - 3d)n + 3dn^2 . \tag{5}$$

Also define

$$Q_1(n) = Q_2(n) - Q_2(n-1) = 2c - 6d + 6dn . \tag{6}$$

and observe that

$$Q_1(n) - Q_1(n-1) = 6d . \tag{7}$$

These last three recursions together read as

$$\left. \begin{array}{l} Q_1(n) = Q_1(n-1) + 6d \\ Q_2(n) = Q_2(n-1) + Q_1(n) \\ Q_3(n) = Q_3(n-1) + Q_2(n) \end{array} \right\} \text{ for } n = 1, 2, \ldots , \tag{8}$$

and require only 3 additions for each n, with no multiplications whatsoever. The starting values for recursion (8) follow immediately from (6), (5), and (3), respectively:

$$\begin{array}{l} Q_1(0) = 2c - 6d , \\ Q_2(0) = b - c + d, \\ Q_3(0) = a . \end{array} \tag{9}$$

Extension to a k-th order polynomial is obvious, and requires k additions per stage, with no multiplications.

EVALUATION OF EXPONENTIAL OF POLYNOMIAL

Suppose we want to evaluate the exponential of a third-order polynomial, namely

$$P_3(x) = \exp[\alpha + \beta x + \gamma x^2 + \mu x^3] \qquad (10)$$

at the arguments listed in (2). That is, we want the values

$$Q_3(n) \equiv P_3(x_n) = \exp[a + bn + cn^2 + dn^3] \quad \text{for } n = 0, 1, 2 \ldots, \qquad (11)$$

where a, b, c, d are given in (4).

To accomplish this goal, define ratio

$$Q_2(n) = Q_3(n)/Q_3(n-1) = \exp[b - c + d + (2c - 3d)n + 3dn^2] . \qquad (12)$$

Also define

$$Q_1(n) = Q_2(n)/Q_2(n - 1) = \exp[2c - 6d + 6dn] , \qquad (13)$$

and observe that

$$Q_1(n)/Q_1(n - 1) = \exp[6d] . \qquad (14)$$

These last three recursions together read as

$$\left. \begin{aligned} Q_1(n) &= Q_1(n - 1) \exp[6d] \\ Q_2(n) &= Q_2(n - 1) Q_1(n) \\ Q_3(n) &= Q_3(n - 1) Q_2(n) \end{aligned} \right\} \quad \text{for } n = 1, 2, \ldots, \qquad (15)$$

and require only 3 multiplications for each n, with no additions or exponentiations. The starting values for recursion (15) follow immediately from (13), (12), and (11), respectively:

$$Q_1(0) = \exp[2c - 6d] ,$$
$$Q_2(0) = \exp[b - c + d] , \qquad (16)$$
$$Q_3(0) = \exp[a] .$$

Initialization requires the evaluation of four exponentials.

Extension to an exponential of a k-th order polynomial is obvious, and requires k multiplications per stage. Initialization requires the evaluation of k + 1 exponentials.

CONCLUSION

All the results above apply to complex coefficients a,b,c,d as well as complex arguments x_0, Δ. Only integer n needs to be real. However, since a complex multiplication involves 4 real multiplications and 2 real additions, the time of execution will naturally be larger.

The applicability of the above results to linear frequency-modulation with Gaussian amplitude-modulation follows readily, by restricting the order of the polynomial in (10) and (11) to k = 2; i.e., set μ = d = 0. This particular case has been treated in [1]; in particular, the accuracy of the procedure has been investigated and found adequate for most applications. The evaluation of cosines or sines of real polynomials can be achieved by setting a,b,c,d in (11) to purely imaginary values.

When k equals 2 and a,b,c are complex, the quantities $Q_1(n)$ and $Q_2(n)$ are complex. Since a complex multiplication involves 4 real multiplications and 2 real additions, the number of operations per stage to generate $Q_1(n)$ and $Q_2(n)$ is 8 real multiplications and 4 real additions. As an example, if a,b,c are purely imaginary, a = ia', b = ib', c = ic', then

$$Q_2(n) = \exp[i(a' + b'n + c'n^2)] =$$

$$= \cos[a' + b'n + c'n^2] + i \sin[a' + b'n + c'n^2] , \qquad (17)$$

meaning that the cosine and sine are capable of simultaneous generation at each stage. (Attempts to generate the cosine alone, with a lesser number of operations per stage, have not been successful.)

There is no need to set aside storage arrays for the recursive quantities in (8) or (15), if these numbers are used on the fly as they are generated. Then the computer coding for (8) is simply Q1 = Q1 + D6, Q2 = Q2 + Q1, Q3 = Q3 + Q2, while that for (15) is simply Q1 = Q1*E6, Q2 = Q2*Q1, Q3 = Q3*Q2, in the order listed. Generally, storage of only k temporary variables is required for a k-th order polynomial. On the other hand, if $Q_3(n)$ must be stored for later use, the only change in the coding above is to replace the Q3 lines by Q3(N) = Q3(N - 1) + Q2 and Q3(N) = Q3(N - 1)*Q2, respectively; there is no need to store Q1 or Q2 in arrays.

For general values of k, if the product of a rational function with an exponential of a polynomial must be calculated, it can be broken down into the evaluation of two polynomials and one exponential, as indicated above. Then one additional multiplication and division realizes the desired combination. Extensions to sums and products of such combinations are obvious. The orders, k, of the numerator and denominator polynomials, as well as the polynomial inside the exponential, need not be equal, but are completely arbitrary.

REFERENCES

[1]   J. F. Kaiser, "On the Fast Generation of Equally-Spaced Values of the Gaussian Function A exp($-at^2$)," submitted to IEEE Trans. Acoust., Speech, Signal Processing, February 1987.

INITIAL DISTRIBUTION LIST

Addressee	No. of Copies
DTIC	2
DARPA, A. Ellinthorpe	2
CNO, NOP-098	1
CNR, OCNR-00, -10, -11, -12, -122, -123, -124, -13, -20(2)	11
NAVAIR, NAIR-03	1
SPAWAR, PDW-124, SPAWAR-05	2
NAVSEA, SEA-63, PMS-409	2
NRL	1
NRL UND SOUND REF DET ORLANDO	1
NORDA	1
NADC	1
NCSC	1
NOSC, Code 713 (F. J. Harris)	2
NPRDC	1
NSWC DAHLGREN LAB	1
NSWC WHITE OAK LAB	1
NSWC DET FT. LAUDERDALE	1
NUSC DET WEST PALM BEACH	1
NUSC DET TUDOR HILL	1
NUSC DET FT. LAUDERDALE	1
NWC	1
NAVAL OCEANOGRAPHIC OFFICE	1
NPS, Charles W. Therrian	3
NAVAL INTELLIGENCE COMMAND	1
NAVAL INTELLIGENCE SUPPORT CTR	3
APPLIED PHYSICS LAB, JOHNS HOPKINS, J. D. Stapleton	2
APPLIED PHYSICS LAB, U. WASHINGTON	2
APPLIED RESEARCH LAB, PENN STATE	2
APPLIED RESEARCH LAB, U. TEXAS	2
MARINE PHYSICAL LABORATORY SCRIPPS	2
WOODS HOLE OCEANOGRAPHIC INSTITUTION	2
MAR, INC, East Lyme, CT	1
BBN, Arlington, VA (Dr. H. Cox)	1
BBN, Cambridge, MA (H. Gish)	1
BBN, New London, CT (Dr. P. Cable)	1
A & T, Stonington, CT (H. Jarvis)	1
SONALYSIS, Waterford, CT	1
PSI, New London, CT (Dr. R. Mellen)	1
SAIC, New London, CT (Dr. F. Dinapoli)	1
SAIC, Falls Church, VA (Dr. P. Mikhalevsky)	1
NAVAL RESEARCH LAB, Washington, DC (Dr. P. B. Abraham; W. Gabriel, Code 5372; A. Gerlach; and N. Yen, Code 5135)	4
ORI CO, INC, New London, CT (G. Assard)	1
HUGHES AIRCRAFT, Fullterton, CA (S. Autrey)	1
MASS INSTITUTE OF TECH, Cambridge, MA (Prof. A. Baggaroer)	1
RAYTHEON CO, Portsmouth, RI (J. Bartram)	1
Dr. Julius Bendat, 833 Moraga Drive, Los Angeles, CA	1
UNIV OF MICH, Ann Arbor, MI (Prof T. Birdsall)	1

TR 7995

INIITAL DISTRIBUTION LIST

Addressee	No. of Copies
DEFENCE SCIENTIFIC ESTABLISHMENT, MINISTRY OF DEFENCE, Auckland, New Zealand (Dr. L. Hall)	1
PROMETHEUS, INC, Sharon, MA (Dr. J. Byrnes)	1
ROYAL MILITARY COLLEGE OF CANADA, (Prof. Y. Chan)	1
UNIV OF FLA, GAINESVILLE, FL (D. Childers)	1
SANDIA NATIONAL LABORATORY (J. Claasen)	1
COGENT SYSTEMS, INC, (J. Costas)	1
IBM, Manassas, VA (G. Demuth)	1
UNIV. OF STRATHCLYDE, ROYAL COLLEGE, Glasgow, Scotland (Prof. T. Durrani)	1
ROCKWELL INTERNATIONAL CORP. (L. Einstein, and (Dr. D. Elliott)	2
GENERAL ELECTRIC CO. (Dr. M. Fitelson)	1
OFFICE OF NAVAL RESEARCH, Arlington, VA (N. Gerr, Code 411)	1
HONEYWELL, INC., Seattle, WN (D. Goodfellow)	1
UNIV. OF TECHNOLOGY, Loughborough, Leicestershire, England (Prof. J. W. R. Griffiths)	1
COLUMBIA RESEARCH CORP, Arlington, VA 22202 (W. Hahn)	1
HARRIS SCIENTIFIC SERVICES, Dobbs Ferry, NY (B. Harris)	1
UNIV OF CA, San Diego, CA (Prof. C. Helstrom)	1
EG&G, Manassas, VA (Dr. J. Hughen)	1
BELL COMMUNICATIONS RESEARCH, Morristown, NJ (J. Kaiser)	1
UNIV OF RI, Kingston, RI (Prof. S. Kay, Prof. L. Scharf, and Prof. Donald Tufts)	3
MAGNAVOX GOV & IND ELEC CO, Ft. Wayne, IN (R. Kenefic)	1
DREXEL UNIV, (Prof. S. Kesler)	1
UNIV OF CT, (Prof. C. Knapp)	1
APPLIED SEISMIC GROUP, (R. Lacoss)	1
TRACOR, INC, Austin, TX (Dr. T Leih)	1
ADMIRALILTY RESEARCH ESTABLISHMENT, England (Dr. Lewis J. Lloyd)	1
NAVAL SYSTEMS DIV., SIMRAD SUBSEA A/S, NORWAY (E. B. Lunde)	1
DEFENCE RESEARCH ESTAB. ATLANTIC, DARTMOUTH, NOVA SCOTIA CANADA (B. E. Mackey, Library)	1
MARTIN MARIETTA AEROSPACE, (S. L. Marple)	1
Dr. David Middleton, 127 E 91st, NY, NY 10128	1
CANBERRA COLLEGE OF ADV. EDUC., Australia 2616 (P. Morgan)	1
NORTHEASTERN UNIV. (Prof. C. L. Nikias)	1
ASTRON RESEARCH & ENGR. (Dr. A. Piersol)	1
WESTINGHOUSE ELEC. CORP. (H. Price)	1

INITIAL DISTRIBUTION LIST

Addressee	No. of Copies
M/A-COM GOVERNMENT SYSTEMS, (Dr. R. Price)	1
DALHOUSIE UNIV., Halifax, Nova Scotia, Canada (Dr. Barry Ruddick)	1
NATO SACLANT ASW RESEARCH CNTR, APO NY, NY (Library and Dr. E. Sullivan)	2
YALE UNIV., (Prof. P. Schultheiss)	1
NATIONAL RADIO ASTRONOMY OBSERVATORY, (F. Schwab)	1
DEFENSE SYSTEMS, INC, (Dr. G. Sebestyen)	1
WOODS HOLE OCEANOGRAPHY INSTITUTION (Dr. R. Spindel)	1
PENN STATE UNIV., State College, PA (F. Symons)	1
DEFENCE RESEARCH ESTABLISHMENT PACIFIC, Victoria, Canada (Dr. D. Thomson)	1
Robert J. Ulrick, 11701 Berwick Rd, Silver Springs, MD	1
RCA CORP, (H. Urkowitz)	1
USEA S.P.A., LA SPEZIA, ITALY (H. Van Asselt))	1
NORDA, (R. Wagstaff)	1
TEL-AVIV UNIV. ISRAEL (Prof. E. Weinstein)	1
TRACOR, INC, Austin, TX (J. Wilkinson)	1
COAST GUARD ACADEMY (Prof. J. J. Wolcin)	1
UNIV. OF ALBERTA, Edmonton, Alberta, Canada (K. Yeung)	1
INDIAN INSTITUTE OF SCIENCE, Bangalore, India (N. Srinivasa)	1
AUSTRALIAN NATIONAL UNIV, Canberra, Australia (Prof. B. D. O. Anderson)	1
Library, DEFENCE RESEARCH CENTRE, Salisbury, Australia	1
WEAPONS SYSTEMS RESEARCH LAB, Adelaide, Australia	1
SONAR & SURVEILLANCE GROUP, Darlinghurst, Australia	1
ALAN WINDER, MSB SYTEMS, INC, Norwalk, CT	1

END

7-87

DTIC